

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANTS: Horwitz, Marcus A.; Harth, Günter; and Lee, Bai-Yu

5 (ii) TITLE OF INVENTION: Abundant Extracellular Products and Methods for Their Production and Use

(iii) NUMBER OF SEQUENCES: 159

(iv) CORRESPONDENCE ADDRESS:

10 (A) ADDRESSEE: Kurt A. MacLean
(B) STREET: 2029 Century Park East, Suite 3800
(C) CITY: Los Angeles
(D) STATE: California
(E) COUNTRY: U.S.A.
(F) ZIP: 90067-3024

15 (v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

20 (vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:
(B) FILING DATE:
(C) CLASSIFICATION:

25 (vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/568,357
(B) FILING DATE: 06-DEC-1995

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/551,149
(B) FILING DATE: 31-OCT-1995

30 (vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/447,398
(B) FILING DATE: 23-MAY-1995

(vii) PRIOR APPLICATION DATA:

35 (A) APPLICATION NUMBER: US 08/289,667
(B) FILING DATE: 12-AUG-1994

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/156,358
(B) FILING DATE: 23-NOV-1993

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: MacLean, Kurt A.
- (B) REGISTRATION NUMBER: 31,118
- (C) REFERENCE/DOCKET NUMBER: 118-119

5 (ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: (714) 263-8250
- (B) TELEFAX: (714) 263-8260

(2) INFORMATION FOR SEQ ID NO:1:

- 10 (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 5 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

- 15 (iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- 20 (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Asn Ser Lys Ser Val
1 5

(2) INFORMATION FOR SEQ ID NO:2:

- 25 (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 5 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

08786533-012197

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

5 Thr Asp Arg Val Ser
 1 5

(2) INFORMATION FOR SEQ ID NO:3:

- 10 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

 (ii) MOLECULE TYPE: protein

 (iii) HYPOTHETICAL: NO

15 (iv) ANTI-SENSE: NO

 (v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

 Ala Arg Ala Val Gly
 1 5

(2) INFORMATION FOR SEQ ID NO:4:

- 25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

 (ii) MOLECULE TYPE: protein

30 (iii) HYPOTHETICAL: NO

 (iv) ANTI-SENSE: NO

 (v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

5 Thr Glu Lys Thr Pro
 1 5

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Asp Pro Glu Pro Ala
 1 5

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

08786533-012197

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

5 Phe Ser Arg Pro Gly
 1 5

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 10 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

15 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

 Phe Ser Arg Pro Gly
 1 5

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 25 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

30 (iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

5 Phe Ser Arg Pro Gly
 1 5

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 10 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- 15 (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: N-terminal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:
- Ala Pro Tyr Glu Asn
 1 5

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 25 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- 30 (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

5 Ala Pro Lys Thr Tyr
 1 5

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- 10 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

15 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

 Ala Glu Thr Tyr Leu
 1 5

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- 25 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

30 (iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

08786533.012197

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

5 Ala Tyr Pro Ile Thr
 1 5

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 10 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- 15 (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: N-terminal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:
- Ala Asp Pro Arg Leu
 1 5

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 25 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- 30 (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: N-terminal

261270-EE598480

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

5 Phe Asp Thr Arg Leu
 1 5

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- 10 (A) LENGTH: 40 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

15 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Phe Ser Arg Pro Gly Leu Pro Val Glu Tyr Leu Gln Val Pro Ser
 1 5 10 15

Pro Ser Met Gly Arg Asp Ile Lys Val Gln Phe Gln Ser Gly Gly
 16 20 25 30

25 Asn Asn Ser Pro Ala Val Tyr Leu Leu Asp
 31 35 40

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- 30 (A) LENGTH: 40 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

08786533-012197

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Phe Ser Arg Pro Gly Leu Pro Val Glu Tyr Leu Gln Val Pro Ser
1 5 10 15

Pro Ser Met Gly Arg Asp Ile Lys Val Gln Phe Gln Ser Gly Gly
10 16 20 25 30

Asn Asn Ser Pro Ala Val Tyr Leu Leu Asp
31 35 40

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 22 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Phe Ser Arg Pro Gly Leu Pro Val Glu Tyr Leu Gln Val Pro Ser
1 5 10 15

Ala Ser Met Gly Arg Asp Ile
30 16 20

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 48 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

5 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Phe	Asp	Thr	Arg	Leu	Met	Arg	Leu	Glu	Asp	Glu	Met	Lys	Glu	Gly
1				5				10						15

Arg	Tyr	Glu	Val	Arg	Ala	Glu	Leu	Pro	Gly	Val	Asp	Pro	Asp	Lys
16				20				25						30

15	Asp	Val	Asp	Ile	Met	Val	Arg	Asp	Gly	Gln	Leu	Thr	Ile	Lys	Ala
	31			35					40						45

Glu	Arg	Thr
46		

(2) INFORMATION FOR SEQ ID NO:19:

20 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 30 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

25 (ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

30 (A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

08786533.012197

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Ala Asp Pro Arg Leu Gln Phe Thr Ala Thr Thr Leu Ser Gly Ala
 1 5 10 15
 5 Pro Phe Asp Lys Ala Ser Leu Gln Gly Lys Pro Ala Val Leu Trp
 21 20 25 30

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- 10 (A) LENGTH: 30 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

15 (v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

20 Ala Asp Pro Arg Leu Gln Phe Thr Ala Thr Thr Leu Ser Gly Ala
 1 5 10 15
 Pro Phe Asp Lys Ala Ser Leu Gln Gly Lys Pro Ala Val Leu Trp
 16 20 25 30

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- 25 (A) LENGTH: 47 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

5 Ala Tyr Pro Ile Thr Gly Cys Leu Gly Ser Glu Leu Thr Met Thr
 1 5 10 15
 Asp Thr Val Gly Gln Val Val Leu Gly Trp Lys Val Ser Asp Leu
 16 20 25 30
 10 Phe Lys Ser Thr Ala Val Ile Pro Gly Tyr Thr Val Xaa Glu Gln
 31 35 40 45
 Gln Ile
 46

(2) INFORMATION FOR SEQ ID NO:22:

- 15 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 47 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
 (ii) MOLECULE TYPE: protein
 20 (iii) HYPOTHETICAL: NO
 (iv) ANTI-SENSE: NO
 (v) FRAGMENT TYPE: N-terminal
 (vi) ORIGINAL SOURCE:
 25 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Ala Tyr Pro Ile Thr Asx Lys Leu Gly Ser Glu Leu Thr Met Thr
 1 5 10 15
 30 Asp Thr Val Gly Gln Val Val Leu Gly Trp Lys Val Ser Asp Leu
 16 20 25 30
 Tyr Lys Ser Thr Ala Val Ile Pro Gly Tyr Thr Val Xaa Glu Gln
 31 35 40 45
 Gln Ile
 46

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

15 Ala Glu Thr Tyr Leu Pro Asp Leu Asp Trp Asp Tyr Gly Ala Leu
 1 5 10 15

Glu Pro His Ile Ser Gly Gln
 16 20

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 13 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Ala Pro Lys Thr Tyr Xaa Glu Glu Leu Lys Gly Thr Asp
 1 5 10

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 60 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

15	Ala	Pro	Tyr	Glu	Asn	Leu	Met	Asx	Pro	Ser	Pro	Ser	Met	Gly	Arg
	1				5					10					15
	Asp	Ile	Pro	Val	Ala	Phe	Leu	Ala	Gly	Gly	Pro	His	Ala	Val	Tyr
	16				20					25					30
20	Leu	Leu	Asp	Ala	Phe	Asn	Ala	Gly	Pro	Asp	Val	Ser	Asn	Trp	Val
	31				35					40					45
	Thr	Ala	Gly	Asn	Ala	Met	Met	Thr	Leu	Ala	Xaa	Lys	Gly	Ile	Cys
	46				50					55					60

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 60 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

08786533-012197

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Ala	Pro	Tyr	Glu	Asn	Leu	Met	Val	Pro	Ser	Pro	Ser	Met	Gly	Arg
1				5					10					15
Asp	Ile	Pro	Val	Ala	Phe	Leu	Ala	Gly	Gly	Pro	His	Ala	Val	Tyr
5 16				20					25					30
Leu	Leu	Asp	Ala	Phe	Asn	Ala	Gly	Pro	Asp	Val	Ser	Asn	Trp	Val
31				35					40					45
Thr	Ala	Gly	Asn	Ala	Met	Met	Thr	Leu	Ala	Xaa	Lys	Gly	Ile	Ser
46				50					55					60

10 (2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 40 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

20 (vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

Phe	Ser	Arg	Pro	Gly	Leu	Pro	Val	Glu	Tyr	Leu	Gln	Val	Pro	Ser
25 1				5					10					15
Pro	Ser	Met	Gly	Arg	Asp	Ile	Lys	Val	Gln	Phe	Gln	Ser	Gly	Gly
16				20					25					30
Asn	Asn	Ser	Pro	Ala	Val	Tyr	Leu	Leu	Asp					
31				35					40					

30 (2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 40 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

0878533-012197

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

5 (vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

```

10  Phe Ser Arg Pro Gly Leu Pro Val Glu Tyr Leu Gln Val Pro Ser
    1          5          10          15

    Pro Ser Met Gly Arg Asp Ile Lys Val Gln Phe Gln Ser Gly Gly
    16          20          25          30

    Asn Asn Ser Pro Xaa Leu Tyr Leu Leu Asp
    31          35          40
  
```

15 (2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 22 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

20 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

25 (vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

```

30  Phe Ser Arg Pro Gly Leu Pro Val Glu Tyr Leu Gln Val Pro Ser
    1          5          10          15

    Ala Xaa Met Gly Arg Asp Ile
    16          20
  
```

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 30 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

15 Asp Pro Glu Pro Ala Pro Pro Val Pro Asp Asp Ala Ala Ser Pro
 1 5 10 15

Pro Asp Asp Ala Ala Ala Pro Pro Ala Pro Ala Asp Pro Pro Xaa
 16 20 25 30

(2) INFORMATION FOR SEQ ID NO:31:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 20 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

25 (ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

08786333-1012197

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

Thr Glu Lys Thr Pro Asp Asp Val Phe Lys Leu Ala Lys Asp Glu
 1 5 10 15
 Lys Val Leu Tyr Leu
 5 16 20

(2) INFORMATION FOR SEQ ID NO:32:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 6 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Ala Arg Ala Val Gly Ile
 1 5

(2) INFORMATION FOR SEQ ID NO:33:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 8 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

Thr Asp Arg Val Ser Val Gly Asn
1 5

(2) INFORMATION FOR SEQ ID NO:34:

- 5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 22 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- 15 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Asn Ser Lys Ser Val Asn Ser Phe Gly Ala His Asp Thr Leu Lys
1 5 10 15

20 Val Xaa Glu Arg Lys Arg Gln
16 20

(2) INFORMATION FOR SEQ ID NO:35:

- 25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 978 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

30 ATGACAGACG TGAGCCGAAA GATTCGAGCT TGGGGACGCC GATTGATGAT 50
 CGGCACGGCA GCGGCTGTAG TCCTTCCGGG CCTGGTGGGG CTTGCCGGCG 100
 GAGCGGCAAC CGCGGGCGCG TTCTCCCGGC CGGGGCTGCC GGTTCGAGTAC 150
 CTGCAGGTGC CGTCGCCGTC GATGGGCCGC GACATCAAGG TTCAGTTCCA 200

08786533-012197

GAGCGGTGGG AACAACTCAC CTGCGGTTTA TCTGCTCGAC GGCCTGCGCG 250
 CCCAAGACGA CTACAACGGC TGGGATATCA ACACCCCGGC GTTCGAGTGG 300
 TACTACCAGT CGGGACTGTC GATAGTCATG CCGGTCGGCG GGCAGTCCAG 350
 CTTCTACAGC GACTGGTACA GCCCGGCCTG CGGTAAGGCT GGCTGCCAGA 400
 5 CTTACAAGTG GGAAACCTTC CTGACCAGCG AGCTGCCGCA ATGGTTGTCC 450
 GCCAACAGGG CCGTGAAGCC CACCGGCAGC GCTGCAATCG GCTTGTCGAT 500
 GGCCGGCTCG TCGGCAATGA TCTTGGCCGC CTACCACCCC CAGCAGTTCA 550
 TCTACGCCGG CTCGCTGTCG GCCCTGCTGG ACCCCTCTCA GGGGATGGGG 600
 CCTAGCCTGA TCGGCCTCGC GATGGGTGAC GCCGGCGGTT ACAAGGCCGC 650
 10 AGACATGTGG GGTCCCTCGA GTGACCCGGC ATGGGAGCGC AACGACCCTA 700
 CGCAGCAGAT CCCCAAGCTG GTCGCAAACA ACACCCGGCT ATGGGTTTAT 750
 TGCGGGAACG GCACCCCGAA CGAGTTGGGC GGTGCCAACA TACCCGCCGA 800
 GTTCTTGGAG AACTTCGTTC GTAGCAGCAA CCTGAAGTTC CAGGATGCGT 850
 ACAACGCCGC GGGCGGGCAC AACGCCGTGT TCAACTTCCC GCCCAACGGC 900
 15 ACGCACAGCT GGGAGTACTG GGGCGCTCAG CTCAACGCCA TGAAGGGTGA 950
 CCTGCAGAGT TCGTTAGGCG CCGGCTGA 978

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- 20 (A) LENGTH: 1017 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

25 ATGCAGCTTG TTGACAGGGT TCGTGGCGCC GTCACGGGTA TGTCGCGTCG 50
 ACTCGTGGTC GGGGCCGTCG GCGCGGCCCT AGTGTCGGGT CTGGTCGGCG 100
 CCGTCGGTGG CACGGCGACC GCGGGGGCAT TTTCCCGGCC GGGCTTGCCG 150
 GTGGAGTACC TGCAGGTGCC GTCGCCGTCG ATGGGCCGTG ACATCAAGGT 200
 CCAATTCCAA AGTGGTGGTG CCAACTCGCC CGCCCTGTAC CTGCTCGACG 250

GCCTGCGCGC GCAGGACGAC TTCAGCGGCT GGGACATCAA CACCCCGGCG 300
 TTCGAGTGGT ACGACCAGTC GGGCCTGTCTG GTGGTCATGC CCGTGGGTGG 350
 CCAGTCAAGC TTCTACTCCG ACTGGTACCA GCCCGCCTGC GGCAAGGCCG 400
 GTTGCCAGAC TTACAAGTGG GAGACCTTCC TGACCAGCGA GCTGCCGGGG 450
 5 TGGCTGCAGG CCAACAGGCA CGTCAAGCCC ACCGGAAGCG CCGTCGTCGG 500
 TCTTTCGATG GCTGCTTCTT CGGCGCTGAC GCTGGCGATC TATCACCCCC 550
 AGCAGTTCGT CTACGCGGGA GCGATGTCGG GCCTGTTGGA CCCCTCCCAG 600
 GCGATGGGTC CCACCCTGAT CGGCCTGGCG ATGGGTGACG CTGGCGGCTA 650
 CAAGGCCTCC GACATGTGGG GCCCGAAGGA GGACCCGGCG TGGCAGCGCA 700
 10 ACGACCCGCT GTTGAACGTC GGGAAGCTGA TCGCCAACAA CACCCGCGTC 750
 TGGGTGTACT GCGGCAACGG CAAGCCGTCG GATCTGGGTG GCAACAACCT 800
 GCCGGCCAAG TTCCTCGAGG GCTTCGTGCG GACCAGCAAC ATCAAGTTCC 850
 AAGACGCCTA CAACGCCGGT GGCGGCCACA ACGGCGTGTT CGACTTCCCG 900
 GACAGCGGTA CGCACAGCTG GGAGTACTGG GGCGCGCAGC TCAACGCTAT 950
 15 GAAGCCCGAC CTGCAACGGG CACTGGGTGC CACGCCCAAC ACCGGGCCCCG 1000
 CGCCCCAGGG CGCCTAG 1017

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

- 20 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

08786533-012197
 167270-EE59280

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Phe Ser Arg Pro Gly Leu Pro Val Glu Tyr Leu Gln Val Pro Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:38:

- 5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

- 15 (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Leu Pro Val Glu Tyr Leu Gln Val Pro Ser Pro Ser Met Gly Arg
 1 5 10 15

20 (2) INFORMATION FOR SEQ ID NO:39:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 25 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

- 30 (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

267270-EE598280

Leu Gln Val Pro Ser Pro Ser Met Gly Arg Asp Ile Lys Val Gln
1 5 10 15

5 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 15 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

15 (A) ORGANISM: *Mycobacterium tuberculosis*
(B) STRAIN: Erdman

Pro Ser Met Gly Arg Asp Ile Lys Val Gln Phe Gln Ser Gly Gly
1 5 10 15

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

UCLA-ID-VACCINE\120243.APP\MAK/IV/12/196 11:08am

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

Asp Ile Lys Val Gln Phe Gln Ser Gly Gly Asn Asn Ser Pro Ala
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:42:

- 5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- 15 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

Phe Gln Ser Gly Gly Asn Asn Ser Pro Ala Val Tyr Leu Leu Asp
 1 5 10 15

20 (2) INFORMATION FOR SEQ ID NO:43:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 25 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

30 (vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

08786533-012197

Asn Asn Ser Pro Ala Val Tyr Leu Leu Asp Gly Leu Arg Ala Gln
1 5 10 15

5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

15 (A) ORGANISM: *Mycobacterium tuberculosis*
(B) STRAIN: Erdman

Val Tyr Leu Leu Asp Gly Leu Arg Ala Gln Asp Asp Tyr Asn Gly
1 5 10 15

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(A) ORGANISM: *Mycobacterium tuberculosis*
(B) STRAIN: Erdman

Gly Leu Arg Ala Gln Asp Asp Tyr Asn Gly Trp Asp Ile Asn Thr
1 5 10 15

5 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 15 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

15 (A) ORGANISM: *Mycobacterium tuberculosis*
(B) STRAIN: Erdman

Asp Asp Tyr Asn Gly Trp Asp Ile Asn Thr Pro Ala Phe Glu Trp
1 5 10 15

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(A) ORGANISM: *Mycobacterium tuberculosis*
(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

Trp Asp Ile Asn Thr Pro Ala Phe Glu Trp Tyr Tyr Gln Ser Gly
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:48:

- 5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- 10 (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 15 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

Pro Ala Phe Glu Trp Tyr Tyr Gln Ser Gly Leu Ser Ile Val Met
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:49:

- 20 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- 25 (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: internal
- 30 (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

Tyr Tyr Gln Ser Gly Leu Ser Ile Val Met Pro Val Gly Gly Gln
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

15 Leu Ser Ile Val Met Pro Val Gly Gly Gln Ser Ser Phe Tyr Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:51:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

30 Pro Val Gly Gly Gln Ser Ser Phe Tyr Ser Asp Trp Tyr Ser Pro
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:52:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

15 Ser Ser Phe Tyr Ser Asp Trp Tyr Ser Pro Ala Cys Gly Lys Ala
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:53:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

Asp Trp Tyr Ser Pro Ala Cys Gly Lys Ala Gly Cys Gln Thr Tyr
 1 5 10 15

267270-EE598780

(2) INFORMATION FOR SEQ ID NO:54:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

15 Ala Cys Gly Lys Ala Gly Cys Gln Thr Tyr Lys Trp Glu Thr Phe
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:55:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

Gly Cys Gln Thr Tyr Lys Trp Glu Thr Phe Leu Thr Ser Glu Leu
 1 5 10 15

261210" E598/80

(2) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

15 Lys Trp Glu Thr Phe Leu Thr Ser Glu Leu Pro Gln Trp Leu Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

Leu Thr Ser Glu Leu Pro Gln Trp Leu Ser Ala Asn Arg Ala Val
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

15 Pro Gln Trp Leu Ser Ala Asn Arg Ala Val Lys Pro Thr Gly Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:59:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

Ala Asn Arg Ala Val Lys Pro Thr Gly Ser Ala Ala Ile Gly Leu
 1 5 10 15

0878633-0196-EE598280

(2) INFORMATION FOR SEQ ID NO:60:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

15 Lys Pro Thr Gly Ser Ala Ala Ile Gly Leu Ser Met Ala Gly Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:61:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

Ala Ala Ile Gly Leu Ser Met Ala Gly Ser Ser Ala Met Ile Leu
 1 5 10 15

267270-EE593/80

(2) INFORMATION FOR SEQ ID NO:62:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: internal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

15 Ser Met Ala Gly Ser Ser Ala Met Ile Leu Ala Ala Tyr His Pro
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:63:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

Ser Ala Met Ile Leu Ala Ala Tyr His Pro Gln Gln Phe Ile Tyr
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

15 Ala Ala Tyr His Pro Gln Gln Phe Ile Tyr Ala Gly Ser Leu Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:65:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

30 Gln Gln Phe Ile Tyr Ala Gly Ser Leu Ser Ala Leu Leu Asp Pro
 1 5 10 15

0876533-012197

(2) INFORMATION FOR SEQ ID NO:66:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

15 Ala Gly Ser Leu Ser Ala Leu Leu Asp Pro Ser Gln Gly Met Gly
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:67:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

Ala Leu Leu Asp Pro Ser Gln Gly Met Gly Pro Ser Leu Ile Gly
 1 5 10 15

08786533 012197
 261210 22593480

(2) INFORMATION FOR SEQ ID NO:68:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

15 Ser Gln Gly Met Gly Pro Ser Leu Ile Gly Leu Ala Met Gly Asp
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:69:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

Pro Ser Leu Ile Gly Leu Ala Met Gly Asp Ala Gly Gly Tyr Lys
 1 5 10 15

26 FEB 10 11:08 AM '00

(2) INFORMATION FOR SEQ ID NO:70:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: internal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

15 Leu Ala Met Gly Asp Ala Gly Gly Tyr Lys Ala Ala Asp Met Trp
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

Ala Gly Gly Tyr Lys Ala Ala Asp Met Trp Gly Pro Ser Ser Asp
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:72:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

15 Ala Ala Asp Met Trp Gly Pro Ser Ser Asp Pro Ala Trp Glu Arg
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:73:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

30 Gly Pro Ser Ser Asp Pro Ala Trp Glu Arg Asn Asp Pro Thr Gln
 1 5 10 15

0878533.012197

(2) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

15 Pro Ala Trp Glu Arg Asn Asp Pro Thr Gln Gln Ile Pro Lys Leu
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:75:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

Asn Asp Pro Thr Gln Gln Ile Pro Lys Leu Val Ala Asn Asn Thr
 1 5 10 15

08786533-016197

(2) INFORMATION FOR SEQ ID NO:76:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

15 Gln Ile Pro Lys Leu Val Ala Asn Asn Thr Arg Leu Trp Val Tyr
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:77:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

Val Ala Asn Asn Thr Arg Leu Trp Val Tyr Cys Gly Asn Gly Thr
 1 5 10 15

267270-EE598/80

(2) INFORMATION FOR SEQ ID NO:78:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

15 Arg Leu Trp Val Tyr Cys Gly Asn Gly Thr Pro Asn Glu Leu Gly
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:79:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

Cys Gly Asn Gly Thr Pro Asn Glu Leu Gly Gly Ala Asn Ile Pro
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:80:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

15 Pro Asn Glu Leu Gly Gly Ala Asn Ile Pro Ala Glu Phe Leu Glu
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:81:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:

30 Gly Ala Asn Ile Pro Ala Glu Phe Leu Glu Asn Phe Val Arg Ser
 1 5 10 15

08786533.012197

(2) INFORMATION FOR SEQ ID NO:82:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

15 Ala Glu Phe Leu Glu Asn Phe Val Arg Ser Ser Asn Leu Lys Phe
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:83:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

Asn Phe Val Arg Ser Ser Asn Leu Lys Phe Gln Asp Ala Tyr Asn
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:84:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

15 Ser Asn Leu Lys Phe Gln Asp Ala Tyr Asn Ala Ala Gly Gly His
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:85:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

Gln Asp Ala Tyr Asn Ala Ala Gly Gly His Asn Ala Val Phe Asn
 1 5 10 15

0878633-012197

(2) INFORMATION FOR SEQ ID NO:86:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

15 Ala Ala Gly Gly His Asn Ala Val Phe Asn Phe Pro Pro Asn Gly
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:87:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

30 Asn Ala Val Phe Asn Phe Pro Pro Asn Gly Thr His Ser Trp Glu
 1 5 10 15

087553-01219

(2) INFORMATION FOR SEQ ID NO:88:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

15 Phe Pro Pro Asn Gly Thr His Ser Trp Glu Tyr Trp Gly Ala Gln
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:89:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

Thr His Ser Trp Glu Tyr Trp Gly Ala Gln Leu Asn Ala Met Lys
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:90:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

10 (v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

15 Tyr Trp Gly Ala Gln Leu Asn Ala Met Lys Gly Asp Leu Gln Ser
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:91:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

25 (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: C-terminal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

Leu Asn Ala Met Lys Gly Asp Leu Gln Ser Ser Leu Gly Ala Gly
 1 5 10 15

08786533-012197

(2) INFORMATION FOR SEQ ID NO:92:

(i) SEQUENCE CHARACTERISTICS:

- 5 (A) LENGTH: 480 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

ATGAAGCTCA CCACAATGAT CAAGACGGCA GTAGCGGTCG TGGCCATGGC 50
10 GGCCATCGCG ACCTTTGCGG CACCGGTGCG GTTGGCTGCC TATCCCATCA 100
CCGGAAGAACT TGGCAGTGAG CTAACGATGA CCGACACCGT TGGCCAAGTC 150
GTGCTCGGCT GGAAGGTCAG TGATCTCAAA TCCAGCACGG CAGTCATCCC 200
CGGCTATCCG GTGGCCGGCC AGGTCTGGGA GGCCACTGCC ACGGTCAATG 250
CGATTGCGCG CAGCGTCACG CCCGCGGTCT CGCAGTTCAA TGCCCGCACC 300
15 GCCGACGGCA TCAACTACCG GGTGCTGTGG CAAGCCGCGG GCCCGACAC 350
CATTAGCGGA GCCACTATCC CCCAAGGCGA ACAATCGACC GGCAAAATCT 400
ACTTCGATGT CACCGGCCCA TCGCCAACCA TCGTCGCGAT GAACAACGGC 450
ATGGAGGATC TGCTGATTTG GGAGCCGTAG 480

(2) INFORMATION FOR SEQ ID NO:93:

20 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1437 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: not relevant

25 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

GTGACGGAAA AGACGCCCCGA CGACGTCTTC AACTTGCCA AGGACGAGAA 50
GGTCGAATAT GTCGACGTCC GGTTCTGTGA CCTGCCTGGC ATCATGCAGC 100
ACTTCACGAT TCCGGCTTCG GCCTTTGACA AGAGCGTGTT TGACGACGGC 150
30 TTGGCCTTTG ACGGCTCGTC GATTGCGGGG TTCCAGTCGA TCCACGAATC 200
CGACATGTTG CTTCTTCCCG ATCCCGAGAC GGCGCGCATC GACCCGTTCC 250

08786533-012196

GCGCGGCCAA GACGCTGAAT ATCAACTTCT TTGTGCACGA CCCGTTCCACC 300
 CTGGAGCCGT ACTCCCGCGA CCCGCGCACC ATCGCCCGCA AGGCCGAGAA 350
 CTACCTGATC AGCACTGGCA TCGCCGACAC CGCATACTTC GGCGCCGAGG 400
 CCGAGTTCTA CATTTTCGAT TCGGTGAGCT TCGACTCGCG CGCCAACGGC 450
 5 TCCTTCTACG AGGTGGACGC CATCTCGGGG TGGTGGAAACA CCGGCGCGGC 500
 GACCGAGGCC GACGGCAGTC CCAACCGGGG CTACAAGGTC CGCCACAAGG 550
 GCGGGTATTT CCCAGTGGCC CCCAACGACC AATACGTCGA CCTGCGCGAC 600
 AAGATGCTGA CCAACCTGAT CAACTCCGGC TTCATCCTGG AGAAGGGCCA 650
 CCACGAGGTG GGCAGCGGGC GACAGGCCGA GATCAACTAC CAGTTCAATT 700
 10 CGTGCTGCA CGCCGCCGAC GACATGCAGT TGTACAAGTA CATCATCAAG 750
 AACACCGCCT GGCAGAACGG CAAAACGGTC ACGTTCATGC CCAAGCCGCT 800
 GTTCGGCGAC AACGGGTCCG GCATGCACTG TCATCAGTCG CTGTGGAAGG 850
 ACGGGGCCCC GCTGATGTAC GACGAGACGG GTTATGCCGG TCTGTCGGAC 900
 ACGGCCCCGTC ATTACATCGG CGGCCTGTTA CACCACGCGC CGTCGCTGCT 950
 15 GGCCTTCACC AACCCGACGG TGAATCCTA CAAGCGGCTG GTTCCCGGTT 1000
 ACGAGGCCCC GATCAACCTG GTCTATAGCC AGCGCAACCG GTCGGCATGC 1050
 GTGCGCATCC CGATCACCGG CAGCAACCCG AAGGCCAAGC GGCTGGAGTT 1100
 CCGAAGCCCC GACTCGTCGG GCAACCCGTA TCTGGCGTTC TCGGCCATGC 1150
 TGATGGCAGG CCTGGACGGT ATCAAGAACA AGATCGAGCC GCAGGCGCCC 1200
 20 GTCGACAAGG ATCTCTACGA GCTGCCGCCG GAAGAGGCCG CGAGTATCCC 1250
 GCAGACTCCG ACCCAGCTGT CAGATGTGAT CGACCGTCTC GAGGCCGACC 1300
 ACGAATACCT CACCGAAGGA GGGGTGTTCA CAAACGACCT GATCGAGACG 1350
 TGGATCAGTT TCAAGCGCGA AAACGAGATC GAGCCGGTCA ACATCCGGCC 1400
 GCATCCCTAC GAATTCGCGC TGTACTACGA CGTTTAA 1437

CGTCTD-EEG98ZBD

(2) INFORMATION FOR SEQ ID NO:94:

(i) SEQUENCE CHARACTERISTICS:

- 5 (A) LENGTH: 687 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

GTGCGCATCA AGATCTTCAT GCTGGTCACG GCTGTCGTTT TGCTCTGTTG 50
 10 TTCGGGTGTG GCCACGGCCG CGCCCAAGAC CTA CTGCGAG GAGTTGAAAG 100
 GCACCGATAC CGGCCAGGCG TGCCAGATTC AAATGTCCGA CCCGGCCTAC 150
 AACATCAACA TCAGCCTGCC CAGTTACTAC CCCGACCAGA AGTCGCTGGA 200
 AAATTACATC GCCCAGACGC GCGACAAGTT CCTCAGCGCG GCCACATCGT 250
 CCACTCCACG CGAAGCCCCC TACGAATTGA ATATCACCTC GGCCACATAC 300
 15 CAGTCCGCGA TACCGCCGCG TGGTACGCAG GCCGTGGTGC TCAAGGTCTA 350
 CCAGAACGCC GGC GGACGC ACCCAACGAC CACGTACAAG GCCTTCGATT 400
 GGGACCAGGC CTATCGCAAG CCAATCACCT ATGACACGCT GTGGCAGGCT 450
 GACACCGATC CGCTGCCAGT CGTCTTCCCC ATTGTGCAAG GTGAACTGAG 500
 CAAGCAGACC GGACAACAGG TATCGATAGC GCCGAATGCC GGCTTGGACC 550
 20 CGGTGAATTA TCAGAACTTC GCAGTCACGA ACGACGGGGT GATTTTCTTC 600
 TTCAACCCGG GGGAGTTGCT GCCCGAAGCA GCCGGCCCAA CCCAGGTATT 650
 GGTCCCACGT TCCGCGATCG ACTCGATGCT GGCCTAG 687

(2) INFORMATION FOR SEQ ID NO:95:

(i) SEQUENCE CHARACTERISTICS:

- 25 (A) LENGTH: 900 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

ATGAAGGGTC GGTCGGCGCT GCTGCGGGCG CTCTGGATTG CCGCACTGTC 50
 ATTCGGGTTG GGCGGTGTCTG CCGTAGCCGC GGAACCCACC GCCAAGGCCG 100
 CCCCATACGA GAACCTGATG GTGCCGTCTGC CCTCGATGGG CCGGGACATC 150
 5 CCGGTGGCCT TCCTAGCCGG TGGGCCGCAC GCGGTGTATC TGCTGGACGC 200
 CTTCAACGCC GGCCCGGATG TCAGTAACTG GGTCACCGCG GGTAACGCGA 250
 TGAACACGTT GGCGGGCAAG GGGATTTCTG TGGTGGCACC GGCCGGTGGT 300
 GCGTACAGCA TGTACACCAA CTGGGAGCAG GATGGCAGCA AGCAGTGGGA 350
 CACCTTCTTG TCCGCTGAGC TGCCCGACTG GCTGGCCGCT AACCGGGGCT 400
 10 TGGCCCCCGG TGGCCATGCG GCCGTTGGCG CCGCTCAGGG CGGTTACGGG 450
 GCGATGGCGC TGGCGGCCTT CCACCCCGAC CGCTTCGGCT TCGCTGGCTC 500
 GATGTCGGGC TTTTGTACC CGTCGAACAC CACCACCAAC GGTGCGATCG 550
 CGGCGGGCAT GCAGCAATTC GGCGGTGTGG ACACCAACGG AATGTGGGGA 600
 GCACCACAGC TGGGTCGGTG GAAGTGGCAC GACCCGTGGG TGCATGCCAG 650
 15 CCTGCTGGCG CAAAACAACA CCCGGGTGTG GGTGTGGAGC CCGACCAACC 700
 CGGGAGCCAG CGATCCCGCC GCCATGATCG GCCAAGCCGC CGAGGCGATG 750
 GGTAACAGCC GCATGTTCTA CAACCAGTAT CGCAGCGTCG GCGGGCACAA 800
 CGGACACTTC GACTTCCCAG CCAGCGGTGA CAACGGCTGG GGCTCGTGGG 850
 CGCCCCAGCT GGGCGCTATG TCGGGCGATA TCGTCGGTGC GATCCGCTAA 900

(2) INFORMATION FOR SEQ ID NO:96:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

08998-012196

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

F S R P G L P V E Y L Q V P S

(2) INFORMATION FOR SEQ ID NO:97:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

L P V E Y L Q V P S P S M G R

(2) INFORMATION FOR SEQ ID NO:98:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

08786533-012197

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

L Q V P S P S M G R D I K V Q

(2) INFORMATION FOR SEQ ID NO:99:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

P S M G R D I K V Q F Q S G G

(2) INFORMATION FOR SEQ ID NO:100:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Mycobacterium tuberculosis*
- (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:

D I K V Q F Q S G G A N S P

0878633.01497
267270.5598780

(2) INFORMATION FOR SEQ ID NO:101:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

F Q S G G A N S P A L Y L L D

(2) INFORMATION FOR SEQ ID NO:102:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

A N S P A L Y L L D G L R A Q

(2) INFORMATION FOR SEQ ID NO:103:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids

08785533-012197

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:
L Y L L D G L R A Q D D F S G

(2) INFORMATION FOR SEQ ID NO:104:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:
G L R A Q D D F S G W D I N T

(2) INFORMATION FOR SEQ ID NO:105:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

08786533-012197

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:

D D F S G W D I N T P A F E W

(2) INFORMATION FOR SEQ ID NO:106:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:

W D I N T P A F E W Y D Q S G

(2) INFORMATION FOR SEQ ID NO:107:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO

- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:

P A F E W Y D Q S G L S V V M

(2) INFORMATION FOR SEQ ID NO:108:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:

Y D Q S G L S V V M P V G G Q

(2) INFORMATION FOR SEQ ID NO:109:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:109:

L S V V M P V G G Q S S F Y S

(2) INFORMATION FOR SEQ ID NO:110:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:110:

P V G G Q S S F Y S D W Y Q P

(2) INFORMATION FOR SEQ ID NO:111:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:

S S F Y S D W Y Q P A C G K A

(2) INFORMATION FOR SEQ ID NO:112:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:

D W Y Q P A C G K A G C Q T Y

(2) INFORMATION FOR SEQ ID NO:113:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:113:

A C G K A G C Q T Y K W E T F

08786533.012197

(2) INFORMATION FOR SEQ ID NO:114:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:114:

G C Q T Y K W E T F L T S E L K Y K W E T F

(2) INFORMATION FOR SEQ ID NO:115:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:115:

K W E T F L T S E L P G W L Q

(2) INFORMATION FOR SEQ ID NO:116:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid

08786533-012197

- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:116:

L T S E L P G W L Q A N R H V

(2) INFORMATION FOR SEQ ID NO:117:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:117:

P G W L Q A N R H V K P T G S

(2) INFORMATION FOR SEQ ID NO:118:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide

0878533-012197

- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:118:

A N R H V K P T G S A V V G LK

(2) INFORMATION FOR SEQ ID NO:119:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:

A P T G S A V V G L S M A A S

(2) INFORMATION FOR SEQ ID NO:120:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:120:

A V V G L S M A A S S A L T L

(2) INFORMATION FOR SEQ ID NO:121:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:121:

S M A A S S A L T L A I Y H P

(2) INFORMATION FOR SEQ ID NO:122:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:122:

S A L T L A I Y H P Q Q F V Y

(2) INFORMATION FOR SEQ ID NO:123:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:123:

A I Y H P Q Q F V Y A G A M S

(2) INFORMATION FOR SEQ ID NO:124:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:124:

Q Q F V Y A G A M S G L L D P

(2) INFORMATION FOR SEQ ID NO:125:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:
A G A M S G L L D P S Q A M G

(2) INFORMATION FOR SEQ ID NO:126:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:
G L L D P S Q A M G P T L I G

(2) INFORMATION FOR SEQ ID NO:127:

0879593-012196

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:127:
- S Q A M G P T L I G L A M G DP

(2) INFORMATION FOR SEQ ID NO:128:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:128:
- S T L I G L A M G D A G G Y K

(2) INFORMATION FOR SEQ ID NO:129:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:
- L A M G D A G G Y K A S D M W

(2) INFORMATION FOR SEQ ID NO:130:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:130:
- A G G Y K A S D M W G P K E D

(2) INFORMATION FOR SEQ ID NO:131:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide

- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:131:

A S D M W G P K E D P A W Q R

(2) INFORMATION FOR SEQ ID NO:132:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:132:

G P K E D P A W Q R N D P L L

(2) INFORMATION FOR SEQ ID NO:133:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:

P A W Q R N D P L L N V G K L

(2) INFORMATION FOR SEQ ID NO:134:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:

N D P L L N V G K L I A N N T

(2) INFORMATION FOR SEQ ID NO:135:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*

087833.012197

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:

N V G K L I A N N T R V W V Y

(2) INFORMATION FOR SEQ ID NO:136:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:

I A N N T R V W V Y C G N G K

(2) INFORMATION FOR SEQ ID NO:137:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

08786533-012197

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:

R V W V Y C G N G K P S D L G

(2) INFORMATION FOR SEQ ID NO:138:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:

C G N G K P S D L G G N N L P

(2) INFORMATION FOR SEQ ID NO:139:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:

P S D L G G N N L P A K F L E

087833-0129
261210-EE538280

(2) INFORMATION FOR SEQ ID NO:140:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:
G N N L P A K F L E G F V R T A

(2) INFORMATION FOR SEQ ID NO:141:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:
G K F L E G F V R T S N I K F

(2) INFORMATION FOR SEQ ID NO:142:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids

007593/80

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:
G F V R T S N I K F Q D A Y N

(2) INFORMATION FOR SEQ ID NO:143:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:
S N I K F Q D A Y N A G G G H

(2) INFORMATION FOR SEQ ID NO:144:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

26786533-012197

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:
Q D A Y N A G G G H N G V F D

(2) INFORMATION FOR SEQ ID NO:145:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:
A G G G H N G V F D F P D S G

(2) INFORMATION FOR SEQ ID NO:146:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO

087633-0129

- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:146:

N G V F D F P D S G T H S W E

(2) INFORMATION FOR SEQ ID NO:147:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:147:

F P D S G T H S W E Y W G A Q

(2) INFORMATION FOR SEQ ID NO:148:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal

087853 0139 267270-EE598/80

- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:148:

T H S W E Y W G A Q L N A M K

(2) INFORMATION FOR SEQ ID NO:149:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:

Y W G A Q L N A M K P D L Q R

(2) INFORMATION FOR SEQ ID NO:150:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman

08786533-012197

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:

L N A M K P D L Q R A L G A T

(2) INFORMATION FOR SEQ ID NO:151:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: Internal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:151:

P D L Q R A L G A T P N T G P

(2) INFORMATION FOR SEQ ID NO:152:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: C-Terminal

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Mycobacterium tuberculosis*

(B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:

A L G A T P N T G P A P Q G A

08786533-012197

(2) INFORMATION FOR SEQ ID NO:153:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: N-Terminal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:
F S R P G L P V E Y L Q V P S P S M

(2) INFORMATION FOR SEQ ID NO:154:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:
D I K V Q F Q S G G A N S P A L

(2) INFORMATION FOR SEQ ID NO:155:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 amino acids

261210-EE598/80

(B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
 (iii) HYPOTHETICAL: NO
 (iv) ANTI-SENSE: NO
 (v) FRAGMENT TYPE: Internal
 (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:
 P V G G Q S S F Y S D W Y Q P A C

(2) INFORMATION FOR SEQ ID NO:156:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 17 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
 (ii) MOLECULE TYPE: peptide
 (iii) HYPOTHETICAL: NO
 (iv) ANTI-SENSE: NO
 (v) FRAGMENT TYPE: Internal
 (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:
 S M A A S S A L T L A I Y H P Q Q

(2) INFORMATION FOR SEQ ID NO:157:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 18 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

0878633-012197
 26F210-EE59BZ80

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:

P Q Q F V Y A G A M S G L L D P S Q

(2) INFORMATION FOR SEQ ID NO:158:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Mycobacterium tuberculosis*
 - (B) STRAIN: Erdman

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:

C G N G K P S D L G G N N L P A K

(2) INFORMATION FOR SEQ ID NO:159:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO

0878533-012197

- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:
- F Q D A Y N A G G G H N G V F D

(2) INFORMATION FOR SEQ ID NO:160:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 14 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: Internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Mycobacterium tuberculosis*
 (B) STRAIN: Erdman
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:160:
- P D L Q R A L G A T P N T G

20240308 01:21:30